HUNTONIT

PREPAINTED WALLS AND CEILINGS



PRODUCT FACT

- · Huntonit pre-painted wall and ceiling panels are produced in Norway with nothing but pure natural wood fibers. The fibers are compressed and fused together in a heat and wather prosess with no additive substance
- The panels are treated with five coats of environmentally friendly watherbased acrylic paint. Finishing layer is a protective coating
- The panel has fire- (D-s2,d0) and sound-absorbing effect (sound diminishing cladding). Technically approved by SINTEF and may be used in REI30- and REI60- structures
- The panels are dense, making it possible to install screw fixed bookshelves and lamps directly on to the panels
- Recommended by the Norwegian Asthma and Allergy Association (NAAF)
- Holds the Indoor Climate Label



Wood Single panel Skygge installed on wall and Mist in the ceiling



BRUSH PAINTED

SINGLE PANEL BOARD

Single panel board with brush painted surface and wood structure. May be used horysontally or vertically onto ceiling or the wall. Short side extension with V-fas provide a clean appearance where panels need to be spliced, maximum coverage beyond 2400mm.

LONG SIDE EXTENSION IN SKYGGE PROFILE

SHORT SIDE EXTENSION IN SKYGGE PROFILE

Huntonit Panel board White - brush painted (net size:11x180x2400) 11 x 200 x 2420 mm Huntonit Panel board White - brush painted (net size:11x125x2400) 11 x 142 x 2420 mm


Huntonit Wood Panel board White (net size:11x180x2400) 11 x 200 x 2420 mm Huntonit Wood Panel board Sand (net size:11x180x2400) 11 x 200 x 2420 mm Huntonit Wood Panel board Mist (net size:11x180x2400) 11 x 200 x 2420 mm




CEILING PANEL

LONG AND SHORT SIDE EXTENSION IN V-FAS PROFILE

Brilliant White 11 x 300 x 1220 mm Brilliant White 11 x 620 x 1220 mm 11 x 300 x 1220 mm Classique painted Classique painted 11 x 300 x 1820 mm Classique painted 11 x 620 x 1220 mm Plankett painted 11 x 300 x 1220 mm Symfoni painted 11 x 300 x 1820 mm Symfoni painted 11 x 300 x 1220 mm





Skygge Mist



BRUSH PAINTED

SKYGGE WALL PANEL

Huntonit brush painted wallpanel in Skygge profile is suitable for anyone who wants an classical and timeless look.

Beautiful brush painted surface, light colors and the natural wood fiber core makes Shadow panel a choice for the future.

Available in 2 pack for your convenience.

The panel have five boards, each 120 mm wide. Tongue and groove allows quick and easy installation with concealed nailing. Mount on existing wall or directly on to stud.

SKYGGE PROFIL

Skygge Brilliant White 11 x 600/620 x 2390 mm Skygge Brilliant White* 11 x 600/620 x 2740 mm Skygge White 11 x 600/620 x 2390 mm Skygge White* 11 x 600/620 x 2740 mm Skygge Caffelatte 11 x 600/620 x 2390 mm Skygge Caffelatte* 11 x 600/620 x 2740 mm Skygge Frost 11 x 600/620 x 2390 mm Skygge Frost* 11 x 600/620 x 2740 mm Skygge Mist 11 x 600/620 x 2390 mm 11 x 600/620 x 2390 mm Skygge Sand Skygge Earth 11 x 600/620 x 2390 mm Skygge Soft Menthol 11 x 600/620 x 2390 mm Skygge Soft Eucalyptus 11 x 600/620 x 2390 mm Skygge Deep Ocean 11 x 600/620 x 2390 mm 11 x 600/620 x 2390 mm Skygge Pepper Skygge Terracotta 11 x 600/620 x 2390 mm *Must be ordered







Colors available in Perle



BRUSH PAINTED PERLE WALL PANEL

Huntonit pre painted panels with Perle profile; a classick and elegant appearance for your walls.

Brush paintes surface, light and timeless colors, 2 pack and the natural and pure core material provides you will be satisfied with for years to come.

The panel consist of 5 boards; each 120 mm wide. The panel has tongue and groove and is very easy and quick to install with concealed nailing, either on an existing wall or directly on to stud. Huntonit wallpanel with smooth prepainted surface is durable and easy to clean.

PERLE PROFILE

Perle Brilliant White Perle White Perle White* Perle Caffelatte Perle Caffelatte* Perle Frost Perle Frost* *must be ordered

11 x 600/620 x 2390 mm Perle Brilliant White 11 x 600/620 x 2740 mm 11 x 600/620 x 2390 mm 11 x 600/620 x 2740 mm 11 x 600/620 x 2390 mm 11 x 600/620 x 2740 mm 11 x 600/620 x 2390 mm 11 x 600/620 x 2740 mm

ANTIKK WALL WITH MICROJOINT

Huntonit Antikk with microjoint; a wall panel with discrete joint and without milled boards. The Microjoint gives the panels a minimal joint. the surface is strong and brush painted.

 Brilliant White
 11 x 600/620 x 2390 mm

 Brilliant White*
 11 x 600/620 x 2740 mm

 White
 11 x 600/620 x 2390 mm

 White*
 11 x 600/620 x 2740 mm

 Frost
 11 x 600/620 x 2390 mm

 Frost*
 11 x 600/620 x 2740 mm

*must be ordered



White

Caffelatte

Frost



Huntonit Fas 8 bord

BRUSH PAINTED

FASPANEL 8 BORD

Huntonit brush painted Faspanel 8 bord consist of eight boards, each 75mm wide. The panel has tongue and groove and is very easy and quick to install with concealed nailing, either on an existing wall or directly on to stud. Delivered in 2 pack.

V-FAS PROFILE

 Faspanel 8 bord White
 11 x 600/620 x 2390 mm

 Faspanel 8 bord White*
 11 x 600/620 x 2740 mm

 Faspanel 8 bord Caffelatte
 11 x 600/620 x 2390 mm

 Faspanel 8 bord Caffelatte*
 11 x 600/620 x 2740 mm

 Faspanel 8 bord Frost
 11 x 600/620 x 2390 mm

 Faspanel 8 bord Frost*
 11 x 600/620 x 2740 mm

 *must be ordered
 11 x 600/620 x 2740 mm





Fire-resistant ceiling and wall panel.

Tested by SINTEF - Norways Fire Research laboratory testify that Huntonit Brannit meets the requirements for level K10 - B-s1,d0 according NS-EN 13986-2004.


Huntonit Brannit prepainted panels provides shorter construction times and improved overall economy. Huntonit Brannit wall- and ceiling panel are easy to work with and has a tongue and groove on two sides. Ceilings are delivered with tongue and groove on all four sides. The panels are treated with flame retardants paint. Delivered in 4 pack.

Brannit Ceiling White Brannit Wall White Brannit Wall White* *must be ordered

11 x 600/620 x 1200/1220 mm 11 x 600/620 x 2390 mm . 11 x 600/620 x 2740 mm

MAINTENANCE

To maintain fire classification B-s1,d0, repaint Huntonit Brannit panel with Palett. Palett Paint may be obtaind in all NCS codes and gives great freedom of choice when it comes to renovation and maintenance of the installed Huntonit Brannit panel. Palett maintenance system is tested by SINTEF. Contact us for further information.





WALL AND CEILING

ACCESSORIES

Huntonit prepainted wall- and ceiling are supplied with tongue and groove for quick installation and hidden nailing gives a assured result. Mount on existing wall or directly onto stud Huntonit prepainted wall- and roofpanel are the only prepainted product recommended by the Norwegian Asthma and Allergy Association. Huntonit panels are also approved with Indoor Climate Award from the Danish Technological Institute.



CORNER CLIPS

Use this corner clipp when mounting our panel and avoid visible staples in the corners. NB! Only on wooden studs, use 3 pieces per panel.



ACRYL FILLER

For sealing internal corners. 1 tube is enough for approx. 20 lm joint 3 x 3 mm. Available in different colors.



CORRECTION PAINT

Correction paint delivered in 20 ml to cover marks made by screws and nails. Available in different colors.



MOLDING PAINT

1/2 liter paint delivered in different colors to match the color of our panels.



SPECIAL PROFILE

List for use on windows and doors where a second board layer are mouted (renovation) Available in primed white.



EXT CORNER PROFILE

For use in external corners. Length: 2700 x 28 x 28 mm. Available in different colors.



INT CORNER PROFILE

For internal corners. Length: 2700 x 12 x 12 mm. Available in different colors.



FEXIBLE CORNER

External and internal use. (White) Dim. 28x28x3000mm





SCREWS

Adapted to 11 mm prepaintet panel. Wall: 4,2 x 35 mm. Ceiling: 4,2 x 25 mm.



JOINT KIT

When grouting corners we offer a joint set that is perfect for this purpose.







OTHER INSTALLATION TIPS

drywall screw




In the inside corner the last panel may be attach to the stud with construction adhesive. If so you do not need clips or nailing. If last panel is installed against an outer wall with plastic wrap, one can not use adhesive. The panels may also be glued to brick/concrete. (see our installation instructions).




In buildings where there high demands on cleaning, eg. public buildings, institutions, etc., a base profile may be used to protect the edge of the panel. This solution is used when the panels need to be lifted off the floor (ex. 50mm.).





Huntonit prepainted wall- and ceilign panel are equipped with tongue and groove for quick and easy installation with concealed nailing. The joints shall be glued. Nail distance: 150 mm.







Huntonit pre-painted ceiling Brilliant white, Classique (dimensions. 600 x 1200 mm) and Huntonit brush painted dado wall Perle, Skygge and Fas 8 panels.







Huntonit pre-painted ceiling Brilliant white, Classique Plankett and Symfoni (dimensions: 280 x 1200 mm) Installation across laths.







Byggma - for better living

HUNTONIT

Huntonit AS Postboks 21, 4701 Vennesla NORWAY

Tel: + 47 38 13 71 00 Fax: + 47 38 13 71 01 E-mail: byggma@byggma.no www.byggmagroup.com www.huntonit.com





